illsdai 1936-1937

新科 经公司



Hillsdale Screen Co. Hillsdale

Digitized by



ASSOCIATION FOR PRESERVATION TECHNOLOGY, INTERNATIONAL www.apti.org

BUILDING TECHNOLOGY HERITAGE LIBRARY

ttps://archive.org/details/buildingtechnologyheritagelibrary

From the collection of:

Mike Jackson, FAIA

HillsdaleScreen Company

Manufacturers of

SCREEN DOORS
WINDOW SCREENS
WINDOW VENTILATORS
COMBINATION SCREEN
AND STORM DOORS
K. D. FRAMES
STEP LADDERS

All Goods Guaranteed
Illustrated Catalog

Office and Factory
Hillsdale, Michigan, U. S. A.



ANNOUNCEMENT

We are describing and illustrating herewith the screen doors and window screens that the Hillsdale Screen Co. will manufacture and sell for the coming season.

Hillsdale Screens have all the refinements necessary to make them attractive in appearance and yet they are built strong enough to stand hard service which makes SATISFIED CUSTOMERS of all who buy them.

We wish to call your attention to the OAK door which we are Manufacturing. We feel sure that a stock of these will enable you to get some business which otherwise would go to carpenters and shops making madeto-order screens.

You will also find HILLSDALE COMBINATION STORM and SCREEN DOORS a profitable line to carry as more of these are being sold each year by our dealers. They sell all the year round—to keep out the flies in summer and the cold in winter.

Our large warehouses give us ample storage space to carry a sufficient stock so we can make prompt shipment of orders for standard sizes either in car lots or L. C. L.

Our factory is located at a large junction point of the New York Central Railroad, and we also have through truck service to the large shipping centers in MICHIGAN, OHIO and INDIANA, which enables us to give our customers very quick deliveries on their L. C. L. orders.

We have enjoyed a large increase in the number of our customers the past year which we feel is the strongest endorsement our merchandise can have and we assure you our line the coming season will satisfy you and your trade.

Yours very truly, HILLSDALE SCREEN CO. HILLSDALE, MICH.

Sizes and Detail

Standard Sizes

| 2 | feet | 6 | inches x 6 feet | 6 inches |
|---|------|-----|-----------------|-----------|
| 2 | feet | 6 | inches x 6 feet | 8 inches |
| 2 | feet | 8 | inches x 6 feet | 8 inches |
| 2 | feet | 8 | inches x 6 feet | 10 inches |
| 2 | feet | 8 | inches x 7 feet | |
| 2 | feet | 10 | inches x 6 feet | 10 inches |
| 2 | feet | 10 | inches x 7 feet | |
| 3 | feet | x 6 | feet 8 inches | |
| 3 | feet | x 6 | feet 10 inches | |
| 3 | feet | x 7 | feet | |

Doors are made $\frac{3}{4}$ of an inch longer and slightly wider than the sizes given above to allow for trimming.

Finish

Hillsdale doors are all finished with a durable grade gloss varnish that has been subjected to the most severe weather tests, and have either two or three coats, as specified.

Approximate Weight of Doors and Window Screens, Per Dozen

| Plain doors 7/8 x 3165 | tb | |
|---------------------------------------|-----|--|
| Plain doors $\frac{7}{8}$ x 4190 | | |
| Plain doors 1½ x 3210 | | |
| Fancy doors $\frac{7}{8}$ x $4_{}200$ | tb | |
| Fancy doors 11/8 x 3225 | Ιħ | |
| Fancy doors 11/8 x 4275 | 1tb | |
| Combination doors600 | Ϊħ | |
| Storm Panels, glazed280 | th | |
| | 3.1 | |
| Extension Window Screens 20-50 | | |
| K. D. Screen Frames35-50 | | |
| Window Ventilators20-30 | tb | |

Shipment and Terms

All Screen Doors packed in one-half doz. packages, extra charges for smaller packages.

When goods are sold "delivered" freight expense bill must be sent for credit.

We do not allow cartage charges.

When accounts are due, we draw with exchange.

Remittances must be made without expense to us.

All prices subject to change without notice.

Distribution Cars

We make up distribution cars for our customers, where our screen doors will be delivered in carload lots and distributed free of cost, F. O. B. cars at these distribution points.

Specifications for shipment in these cars must be entered with us on or

before Feb. 1.
All claims f

All claims for shortage or damaged goods must be reported promptly upon arrival of same, and satisfactory adjustment will be made for any shortage or imperfections for which we are responsible. Our responsibility for goods in transit ceases when delivered by us into the hands of the carriers. All bills of lading should be preserved, as it is necessary to have them in case goods are damaged in transit.


Quantities for Car Load Shipment

Doz. to Car

Screen doors _____100 to 135 Extension Window Screens 500 to 900

The weight required for a minimum car load: 24,000 lbs.

HIGH GRADE OAK DOOR



No. 79-G

Strictly clear Oak, 4-inch stile, 1½ inch thick, blind mortised and glued, chamfered edges, raised panel, sanded and smoothed after assembling. Raised mitered mouldings. Dark golden Oak finish, one coat filler and two coats of coach varnish. Fitted with 1¼ inch square mesh oxidized coppered steel grille. Each door wrapped in a separate package. 16-Mesh Bronze wire cloth.

No. 79—Same as above, but with-

out grille.


HIGH GRADE SCREEN DOOR



No. 20

Made of selected Ponderosa pine, 4-inch stile 11/8 inch thick, blind mortised and glued, ogee finish on inner edges, sanded and smoothed after assembling, mitered mouldings. Finished in natural wood with two coats of extra quality varnish. 14-mesh galvanoid wire cloth.

SOLID LOWER PANEL DOOR




No. 99

Made of selected Ponderosa pine, 4-inch stile, 1½ inch thick, blind mortised and glued, ogee finish on inner edges, raised panel. Mitered mouldings. Finished in Natural wood with two coats of extra quality varnish. 14-mesh galvanoid wire cloth.

No. 99-B. Same as No. 99 except with 16-mesh bronze wire cloth.

SELECT GRADE PANEL DOOR




No. 21

Made of selected Ponderosa pine, 4-inch stile 1½ inch thick, blind mortised and glued, ogee finish on inner edges, raised panel, sanded and smoothed after assembling. Mitered mouldings. Finished in natural wood. Two coats extra quality varnish.

No. 21G 14 With 14-mesh galvanoid wire cloth.

No. 21 B. With 16-mesh bronze wire cloth.


HIGH GRADE SCREEN DOOR



No. 03

Made of selected Ponderosa pine, 4-inch stile $1\frac{1}{8}$ inch thick, blind mortised and glued, sanded and smoothed after assembling, mitered mouldings. Finished in natural wood with two coats of extra quality varnish. 14-mesh galvanoid wire cloth.

FANCY SCREEN DOOR




No. 11

Made of selected pine, finished in natural wood with two coats of varnish, blind mortised and glued, mitered mouldings, 4-inch stile, $\frac{7}{8}$ inch thick, black wire cloth.

No. 311—same as No. 11 except stiles are $1\frac{1}{8}$ x 3 inches.

FANCY SCREEN DOOR



No. 06


Made of selected pine with 4 inch stiles, 7/8 inch thick, blind mortised and glued, mitered mouldings. Finished in natural wood with two coats of varnish. Black wire cloth.

No. 306—same as No. 06 except stiles are $1\frac{1}{8}$ x 3 inches.

No. 06-G—With 12-mesh galvanoid wire cloth.

No. 06-G-14—With 14-mesh Galvanoid wire cloth.

STANDARD PINE SCREEN DOOR




No. 4

Made of selected pine with 4-inch stile, 7/8 inch thick, blind mortised and glued. Black wire cloth, mitered mouldings. Finished in natural wood with two coats of varnish.

No. 34—same as No. 4 except stiles are $1\frac{1}{8} \times 3$ inches.

EXTRA CROSS RAIL DOOR




No. 9 G 12.

Selected pine lumber, 4-inch stiles, 7_8 inch thick, blind mortised and glued, mitered mouldings. Finished in natural wood with two coats of varnish. 12 mesh galvanoid wire cloth.

No. 39—same as No. 9 except stiles are $1\frac{1}{8}$ x 3 inches.

STANDARD PINE SCREEN DOOR




No. 5

Medium quality lumber. 4-in. stiles, 7/8 inch thick, blind mortised and glued, mitered mouldings. Finished in natural wood with two coats of varnish. Black wire cloth.

No. 35—same as No. 5 except stiles are $1\frac{1}{8}$ x 3 inches.

WALNUT STAIN SCREEN DOOR




No. 2

Above is shown our No. 2 Door which is made of well seasoned lumber with 4-inch stile, 7/8 inch thick, blind mortiesd and glued throughout, black wire cloth. Finished in walnut Stain.

No. 32—same as No. 2 except stiles are $1\frac{1}{8}$ x 3 inches.

WALNUT STAIN SCREEN DOOR



No. 23

Three inch stiles, 7/8 inch thick, blind mortised and glued. Mitered mouldings. Walnut stain. Black wire cloth.

Twelve-Light Combination Screen and Storm Door



Glass panel in Winter keeps out the cold.



Screen Panel in Summer keeps out flies.

No. 60.

Our No. 60 is made with 5-inch stiles, 1½ inch thick, of selected white pine lumber, sanded and smoothed after assembling. Furnished "in the White" shipped complete with twelve-light glass section with glass, and screen panel wired with 16-mesh galvanoid wire cloth.

Can also be furnished with 16-mesh bronze wire cloth at regular advance.

The Hillsdale panel lock is a neat appearing positive metal lock, that eliminates the rattling of the removable panels. This lock fastens on inside of door, so there is no chance of removing panel from outside of door.

Changing the screen panel for the storm panel is very simple, a screw driver is the only tool necessary, and a quarter turn releases the tension so the panel can be removed.

Combination Screen and Storm Door

12 Equal Size Lights





Screen Panel in Summer keeps out flies

No. 65

Our No. 65 has 5 inch stiles. 1\% inch thick, made of white pine lumber, sanded and smoothed after assembling.

Furnished in the White, complete with 12light storm panel with glass of equal size, and screen panel wired with 16-mesh galvanoid wire cloth.

Screen and storm panels are interchangeable and are fitted so all that is needed to make the change is a screwdriver.

Stock Sizes of Doors


All of the above sizes furnished with 16-mesh Bronze wire cloth at regular advance.

Hillsdale Combination Doors once hung are permanent and sell all the year, as a screen door in summer and a storm door in winter.

Eight-Light Combination Screen and Storm Door



Glass panel in Winter keeps out the cold.



Screen Panel in Summer keeps out flies.

No. 85.


Our No. 85 is made with 5-inch stiles, 11/8 inch thick, of selected white pine lumber, sanded and smoothed after assembling. Furnished "in the White" shipped complete with twelve-light glass section with glass, and screen panel wired with 16-mesh galvanoid wire cloth.

Can also be furnished with 16-mesh bronze wire cloth at regular advance.

The Hillsdale panel lock is a neat appearing positive metal lock, that eliminates the rattling of the removable panels. This lock fastens on inside of door, so there is no chance of removing panel from outside of door.

Changing the screen panel for the storm panel is very simple, a screw driver is the only tool necessary, and a quarter turn releases the tension so the panel can be removed.

HILLSDALE EXTENSION WINDOW SCREENS



Each Screen Equipped With Lock
SIZES AS FOLLOWS

| No. | HIGH | CLOSED | OPEN |
|-----------------------|-----------------|-----------------|------|
| 1033 | 10 | 20 | 33 |
| 1233 | 12 | 20 | 33 |
| 1248 | 12 | 27 | 48 |
| 1533 | 15 | 20 | 33 |
| 1548 | 15 | 27 | 48 |
| 1833 | 18 | 20 | 33 |
| 1845 | 18 | 26 | 45 |
| 1848 | 18 | 27 | 48 |
| 2433 | $\frac{10}{24}$ | 20 | 33 |
| 2437 | 24 | 22 | 37 |
| 2441 | 24 | 24 | 41 |
| 2445 | 24 | 26 | 45 |
| 2448 | 24 | 27 | 48 |
| 2833 | 28 | 20 | 33 |
| 2837 | 28 | $\frac{20}{22}$ | 37 |
| 2841 | 28 | 24 | 41 |
| 2848 | 28 | $\frac{24}{27}$ | 48 |
| 3033 | 30 | 30 | 33 |
| | 30 | 22 | 37 |
| 3037 | 30 | $\frac{22}{26}$ | 45 |
| 3045 3 6 37 | 36 | $\frac{20}{22}$ | 37 |
| 0001 | 30 | | |

HARDWOOD-OILED

HILLSDALE EXTENSION WINDOW SCREENS are wired with best quality 12-mesh black wire cloth, or if desired, with either 12 or 14-mesh galvanized wire at a small advance in price.

Packed one dozen in a crate-carton.

FULL SIZE WINDOW SCREEN



Made to Cover the Entire Window on the Outside.

May be Used as

Stationary Screen-securely fastened. Hanging Screen - hinged to top of window.

Swinging Screen - hinged to side of window.

Admits of free use of either upper or lower sash without admitting insects.

Construction

White Pine in the White, 11/8 inches thick; stiles or side pieces and top rail, 21/8 inches wide finished: lock (or center) rail, 1 inch wide; bottom rail 31/2 inches wide; mortised and tenoned joints. Edge of wire cloth is covered with beaded moulding, mitered joints.

Full-size screens are finished "in the White" with 16-mesh bronze wire cloth.

We carry a large assortment of sizes in stock, and are in position to promptly fill orders for these screens to fit any regular two, four, or eight-light windows.

Packed ten screens in a crate.


FULL SIZE SCREENS

Stock Sizes For Immediate Shipment

| 0.0-0.11/ | 0.70.11/ | 0.0-0.11/ |
|--------------------------------------|--------------------------------------|----------------------|
| $2-0x3-1\frac{1}{2}$ | $2-7x3-1\frac{1}{2}$ | $3-0x3-1\frac{1}{2}$ |
| $\frac{3-31}{2}$ | $3-31/_{2}$ | $3-3\frac{1}{2}$ |
| $3-7\frac{1}{2}$ | $3-7\frac{1}{2}$ | $3-71/_{2}$ |
| $3-11\frac{1}{2}$ | $3-11\frac{1}{2}$ | $3-11\frac{1}{2}$ |
| $4-1\frac{1}{2}$ | 4-11/2 | 4-11/2 |
| 4-31/2 | $4-31/_{2}$ | $4-31/_{2}$ |
| $4-71/_{2}$ | $4-7\frac{1}{2}$ | $4-71/_{2}$ |
| $4-11\frac{1}{2}$ | $4-11\frac{1}{2}$ | 4-111/2 |
| $5-3\frac{1}{2}$ | $5-3\frac{1}{2}$ | $5-31/_{2}$ |
| $5-7\frac{1}{2}$ | $5-7\frac{1}{2}$ | $5-7\frac{1}{2}$ |
| $5-11 \frac{1}{2}$ | $5-11\frac{1}{2}$ | $5-11\frac{1}{2}$ |
| $2-4x3-1\frac{1}{2}$ | $2-8x3-1\frac{1}{2}$ | |
| $3-31/_{2}$ | $3-31/_{2}$ | |
| $3-71/_{2}$ | $3-7\frac{1}{2}$ | |
| $3-11\frac{1}{2}$ | $3-11\frac{1}{2}$ | |
| $4-1\frac{1}{2}$ | $4-1\frac{1}{2}$ | |
| $4-3\frac{1}{2}$ | $4-31/_{2}$ | |
| $4-7\frac{1}{2}$ | $4-71/_{2}$ | |
| $4-11\frac{1}{2}$ | 4-111/2 | |
| 5-31/2 | 5-31/2 | |
| 5-71/2 | $5-7\frac{1}{2}$ | |
| $5-11\frac{1}{2}$ | $5-11\frac{7}{2}$ | |
| $2-6x3-1\frac{1}{2}$ | $2-10x3-1\frac{1}{2}$ | |
| $3-31/_{2}$ | 3-31/2 | |
| $3-7\frac{1}{2}$ | $3-7\frac{1}{2}$ | |
| $3-11\frac{1}{2}$ | $3-11\frac{1}{2}$ | |
| $4-1\frac{1}{2}$ | $4-1\frac{1}{2}$ | |
| $4-3\frac{1}{2}$ | $\frac{4-1}{2}$ | |
| $4-7\frac{1}{2}$ | $4-7\frac{1}{2}$ | |
| $\frac{4-1}{2}$ | $4-11\frac{1}{2}$ | |
| $5-3\frac{1}{2}$ | $5-3\frac{1}{2}$ | |
| $5-3\frac{7}{2}$ $5-7\frac{1}{2}$ | $5-3\frac{7}{2}$ $5-7\frac{1}{2}$ | |
| | | |
| $5-11\frac{1}{2}$ | $5-11\frac{1}{2}$ | |

FLUSH MOULDING

K D WINDOW SCREEN FRAME



A Heavy, Substantial Frame, made of selected White Pine, 7/8 in. x 11/2 in. Side pieces of frame are grooved on outer edges and sliding strips for fastening to window casings are furnished.

Mouldings for covering the edge of the wire cloth furnished. Two holes are bored on either end of frame for nails.

Steel Corners, screws and nails are furnished complete with each frame.

IN THE WHITE

| No. | Size | |
|--------|------|----|
| H-3030 | 30 x | 30 |
| H-3636 | 36 x | 36 |
| H-4242 | 42 x | 42 |
| H-4848 | 48 x | 48 |
| H-3684 | 36 x | 84 |
| H-4896 | 48 x | 96 |

Packed two dozen to the crate.

STEP LADDERS OF QUALITY



Every step reinforced by iron rods.

Equipped with shelf and has steel locking device.

Made in the following lengths: 2 ft., 4 ft., 5 ft., 6 ft., 7 ft., 8 ft. and 10 ft.

THE HILLSDALE LOUVER WINDOW VENTILATOR



The Hillsdale Louver Ventilator is Used the Year Around

More especially in the Fall and Winter. It permits circulation of fresh air without drafts, rain or snow. It is essential for the proper ventilation in the Home, Office, Schools, Hospitals, etc.

It is made with a strong wood frame, the ventilator part being constructed of strong, sturdy metal, enameled gray.

Packed 1 Doz. in Pasteboard Carton.

Made in the following sizes:

No. 637-L—6" high, adjustable, from 22 to 37" in width.


No. 833-L—8" high, adjustable from 20 to 33" in width.

No. 837-L—8" high, adjustable from 22 to 37" in width.

No. 1033-L—10" high, adjustable from 20 to 33" in width.

No. 1137-L—11" high, adjustable from 22 to 37" in width.

The Hillsdale Ventilator Cloth Screen



Ventilation is an absolute necessity.

The proper ventilating of rooms, offices and schools is very essential to the health of everyone.

By using a *Cloth Ventilator* in all windows sickness is prevented and Fresh Air can enter without Drafts or Dirt, Rain or Snow. Curtains and furnishings are protected.

The Hillsdale Ventilator has a strong wooden frame constructed the same as Hillsdale window screens, and special quality fine mesh, tan colored cloth is used.

Can be washed with hot water, soap suds and brush, then left in window to dry. Will look like new again.

SIZES

V-1037—10 inches high, adjustable from 22 to 37 inches in width.

V-1048—10 inches high, adjustable from 27 to 48 inches.

V-1537—15 inches high, adjustable from 22 to 37 inches in width.

Packed 1 dozen in a pasteboard carton.

WHITE PINE SCREEN FRAME STOCK



No. 10

 $13/16 \times 1\frac{3}{4}$ inches Lengths $2\frac{1}{2}$ to 16′ Lengths $2\frac{1}{2}$ to 16′



No. 11



No. 12

Center Bar Stock $13/16 \times 13/4$ inches Lengths 21/2 to 16'



No. 13

 $13/16 \times 1\frac{3}{4}$ inches Lengths $2\frac{1}{2}$ to 16'



No. 14



No. 15

 $13/16 \times 13/4$ inches Lengths 21/2 to 16' 13/16 x 13/4 inches Lengths 21/2 to 16'

NOTE: $2\frac{1}{2}$, 3, $3\frac{1}{2}$, 4, 5, 6, and 7 ft. lengths packed 60 pieces of one size to a carton. Longer lengths tied in bundles.

Telegraphic Code

YOU TO US

| Ship at once | | | | | Gale |
|------------------|---------|-------|---|-----|--------|
| Quote by wire | | | | | Garb |
| Quote by mail | | | | | Gift |
| How soon can y | you sh | nip | | | Globe |
| Invoice to us an | d ship | to | | | Goal |
| Add to our ord | er . | | | | Golf |
| Fourteen mesh | galva | nized | l | | Guilt |
| Sixteen mesh ga | alvaniz | zed | | | Gush |
| Fourteen mesh | bronz | e | | . (| Gutter |
| Sixteen mesh bro | nze | | | | Guard |

QUANTITIES

| 1/4 | dozen Able | 30 dozen Agent |
|-----|--------------|-----------------|
| 1/2 | dozen Abode | 35 dozen Ago |
| 1 | dozen About | 40 dozen Aid |
| 2 | dozen Above | 50 dozen Air |
| 3 | dozen Absent | 60 dozen Amos |
| | dozen Abuse | 75 dozen Andy |
| 5 | dozen Accord | 100 dozen Anger |
| 6 | dozen Ace | 125 dozen Apart |
| | dozen Acid | 150 dozen Apple |
| 8 | dozen Acme | 175 dozen Apply |
| 9 | dozen Acorn | 200 dozen Ash |
| 10 | dozen Acre | 250 dozen Aster |
| 12 | dozen Act | 300 dozen Ate |
| | dozen Adam | 400 dozen Atlas |
| | dozen Adopt | 500 dozen Auto |
| 25 | dozen Adult | |

EXTENSION SCREENS

| 12 M GLV. WIRE |
|--------------------------|
| 10 x 33 Habit |
| 12 x 33 Hack |
| 15 x 33 Hail |
| 18 x 33 Hair |
| 18 x 42 Hall |
| 24 x 33 Halt |
| 24 x 42 Hame |
| 24 x 37 Hand |
| 28 x 33 Hank |
| 28 x 37 Hap |
| 28 x 42 Happy |
| 30 x 33 Hard |
| 30 x 42 Hark |
| $30 \times 37 \dots$ Hat |
| 36 x 37 Hatchet |
| 12 x 42 Haze |
| 12 x 48 Heap |
| 16 x 48 Heat |
| 18 x 48 Help |
| 24 x 48 Hero |
| 28 x 48 Hike |
| |

Telegraphic Code

FROM US

| We quote F. O. B. you We quote F. O. B. Hil Can ship at once if | lsdale Rail |
|---|--|
| can ship at once immediately Can ship part at once We expect to ship Cannot ship as ordere Shall we substitute Part shipped, balance Our representative wi Writing you today Can ship in about one | Rain Read Relay |
| DOOR | SIZES |
| 2-6 x 6-6 Babe 2-6 x 6-8 Back 2-6 x 7 Bag 2-8 x 6-8 Bake 2-8 x 6-10 Bald 2-8 x 7 Bale 2-8 x 7-6 Balm 2-10 x 6-10 Bank | 2-10 x 7 Barn 2-10 x 7-6 Bark 3 x 6-8 Bay 3 x 7 Bed 3 x 7-6 Best 3 x 8 Box 2 x 7 Bulb |
| DOOR NI | |
| 23 Cab 2 Cabin 5 Cable 5G12 Cadet 4 Cage 4G12 Cake 9 Calf 06 Calm 06G12 Camel 06G14 Cameo 11 Camp 11G Canel 21 Candel 21G14 Candy | 21G16 Cane 21B Canoe 03 Canon 99 Cap 99B Car 20 Carpet 79 Cash 59 Chase 59B Check 60 Chew 60B Church 65 City 65B Clerk |
| | KD WINDOW |
| COMPETITOR | SCREEN FRAMES H-3030 Earn H-3636 Ease H-4242 Easy H-4848 Effort H-3684 Elder H-4896 Enter |
| WOOD FRAME CLOTH VEN- TILATOR | LOUVER TYPE VENTILATOR |
| V-1037 Visit V-1048 Voice V-1537 Vote | 833L Vain 1033L Vamp 1037L Vapor |



